

SAFETY DATA SHEET (SDS)



Jacquard Products
Manufactured by Rupert, Gibbon & Spider, Inc.
P.O. Box 425 | Healdsburg, CA 95448
800.442.0455 | Fax: 707.433.4906
www.jacquardproducts.com

Lumiere - Pg 1

Revision Date: 03/03/2020

SECTION I - CHEMICAL, PRODUCT & COMPANY INFORMATION

Product Name:	LUMIERE	
Product Number/Code:	533-576 (ALL COLORS)	
Recommended Use:	Paint for fabric and other surfaces	
Restrictions on use:	None known	
Manufacturer:	Rupert, Gibbon & Spider, Inc. 1147 Healdsburg Ave. Healdsburg, CA 95448 1-800-442-0455 / 707-433-9577	
Emergency Number:	ChemTel, Inc. - Contract #MIS9128344	
	North America: 1-800-255-3924	International: 1-813-248-0585
Details of Distributor:		
Company Name:	Rossdale Pty Ltd	
Company Address:	351-353 Warrigal Road Cheltenham 3192 Australia	
Company Phone Number:	(03) 9583 4411	
Company fax Number:	(03) 9583 4399	
Emergency Telephone Numbers	Poisons Information: 13 11 26	

SECTION 2 - HAZARD(S) IDENTIFICATION

This product is not considered to be or contain hazardous chemicals based on evaluations made by our company under the OSHA Hazard Communication Standard, reference 29 CFR 1910.1200.	
Toxicological Data on Ingredients:	
Hazard Classification	Not hazardous
Physical Hazards:	Not classified
Health Hazards:	Not classified
Environmental Hazards:	Not classified
Label Elements	
Pictogram:	None
Signal Words:	None
Hazard Statements-EU:	The mixture does not meet the criteria for classification.
Precautionary Statements-EU:	
Prevention:	See section 8
Response:	See sections 4, 5 & 6
Storage:	See section 7
Disposal:	See section 13
Hazard(s) not otherwise classified:	No data available

SAFETY DATA SHEET (SDS)

Lumiere - Pg 2

Rupert, Gibbon & Spider, Inc. | P.O. Box 425 | Healdsburg, CA 95448 | 800.442.0455 | Fax: 707.433.4906 | www.jacquardproducts.com

SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS

Chemical identity	Content in percent (%)*	CAS #
Aqua Amonia	< 0.04%	1336-21-6
Potassium alumina silicates	< 5%	12001-26-2
Diethylaminoethanol	< 0.1%	100-37-8
Acrylic polymer(s)	< 12%	N/A
Residual monomers	< 0.01%	N/A
Urethane resins	< 29%	N/A
Propylene glycol	< 1%	57-55-6
Glycol Ether DB	< 1%	112-34-5
Iron oxide	< 0.6%	1309-37-1
Titanium dioxide (bound / non-respirable)	< 4.5%	13463-67-7
Water	> 47.75%	7732-18-5

SECTION 4 - FIRST AID MEASURES

Description of first aid measures:	
In the event of eye contact:	Wash immediately with large amounts of water for 15 minutes. Get medical attention if necessary. Do not wear contact lenses while handling.
In the event of swallowing:	Dilute with water and get medical attention immediately. Do not induce vomiting.
In the event of exposure by inhalation:	Move to fresh air.
Most important symptoms and effects, acute and delayed:	Aside from the information found under description of first aid measures ad indication of immediate medical attention and special treatment, any additional important information and effects are described in section 11.

SECTION 5 - FIREFIGHTING MEASURES

Flammability of the product:	Not flammable
Auto-ignition temperature:	Unknown
Flashpoint:	Non combustible
Products of combustion:	N/A
Special hazards arising from the substance or mixture:	No data available
Unusual fire/explosion hazards:	Material in liquid form can splatter above 100°C/212°F. Dried product can burn.
Extinguishing media:	Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media:	No data available
Special hazards arising from the substance or mixture:	No data available
Advice for fire fighters:	Wear a self-contained breathing apparatus and protective suit.

SAFETY DATA SHEET (SDS)

Rupert, Gibbon & Spider, Inc. | P.O. Box 425 | Healdsburg, CA 95448 | 800.442.0455 | Fax: 707.433.4906 | www.jacquardproducts.com

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:	Use personal protective equipment. Keep people away from the spill or leak. Material may cause slippery conditions.
Methods and material for containment and clean up:	Contain the spill immediately with inert material such as kitty litter, sand or earth. Transfer the spilled paint and solid material to separate suitable containers for recovery or responsible disposal.
Environmental procedures:	Caution keep spills and cleaning runouts out of municipal sewers and open bodies of water.

SECTION 7 - HANDLING AND STORAGE

Precautions for safe handling:	Avoid contact with eyes, skin and clothing. Wash their release after handling. Keep jars and containers tightly closed when not in use.
Conditions for safe storage including any incompatibilities:	Do not freeze. Product stability will be affected. Stir or shake well before use.
Storage stability/storage temperature:	1-49°C/434-120°F. Do not freeze. Formaldehyde may be generated under acidic conditions. Maintain adequate ventilation under these conditions to prevent exposure to formaldehyde above the recommended ceiling of 0.3ppm. Acidic conditions will also affect stability of product. Avoid acidic conditions for material.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters:	
Individual protection measures, such as personal protective equipment:	
Eye/face protection:	Safety glasses with side shields.
Hand protection:	Gloves
Environmental exposure controls:	Facilities storing or utilizing this material in large volume should be equipped with an eyewash station.

SAFETY DATA SHEET (SDS)

Lumiere - Pg 4

Rupert, Gibbon & Spider, Inc. | P.O. Box 425 | Healdsburg, CA 95448 | 800.442.0455 | Fax: 707.433.4906 | www.jacquardproducts.com

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

General information:	
Appearance and physical state:	Colored liquid. Low-medium viscosity liquid.
Color:	See label color of product.
Type of Odor:	Slight acrylic odor.
Odor threshold:	N/A
Important health, safety and environmental information:	
Initial Boiling Point and Boiling Range:	100°C/212°F
Melting Point/Freezing Point:	0°C/32°F
Flammability Classification:	N/A
Flash Point:	Non-combustible
Auto-ignition Temperature:	N/A
Decomposition Temperature:	N/A
Flammability Limits (lower/upper):	N/A
Evaporation rate:	<1
Vapor Pressure:	N/A
Vapor Density (Air=1):	N/A
Octanol/Water Partition Coefficient (log Pow):	N/A
Specific Gravity:	1.2
Bulk Density:	N/A
Water Solubility:	Dilutable
pH:	9.5
Viscosity:	4,000-46,000cps
Explosive Properties:	N/A
Oxidizing Properties:	N/A
Molecular Formula:	N/A
Molecular Weight:	N/A
Relative Density:	+/- 1.2

SECTION 10 - STABILITY AND REACTIVITY

Reactivity:	No data available
Stability:	Stable
Possibility of hazardous reactions:	None known - product may undergo polymerization
Conditions to avoid:	Extreme cold or heat
Incompatible materials:	Strong acids
Hazardous decomposition products:	Thermal decomposition may yield acrylic monomers

SECTION 11 - TOXICOLOGICAL INFORMATION

Information on toxicological effects:	
Acute toxicity (list all possible routes of exposure)	
Acute Inhalation Toxicity:	Acrylic polymers: LC50 has not been determined at this time.
Skin Corrosion/Irritation:	Skin irritation may occur
Serious Eye Damage / Eye Irritation:	No eye irritation
Respiratory or Skin Sensitization:	No data available
Germ Cell Mutagenicity:	No data available
Carcinogenicity:	No data available
Reproductive Toxicity:	No data available
Specific Target Organ Toxicity - single exposure (STOT-se):	No data available
Specific Target Organ Toxicity - repeated exposure (STOT-re):	No data available
Aspiration Hazard:	No data available
Components influencing toxicology:	Residual monomers

SECTION 12 - ECOLOGICAL INFORMATION

Toxicity:	
Acute/prolonged toxicity to fish:	No relevant data found
Acute/prolonged toxicity to aquatic invertebrates:	No relevant data found
Chronic toxicity to aquatic organisms:	No relevant data found
Acrylic polymers:	Biodegradability: no relevant data found
Residual monomers:	N/A
Persistence and degradability:	N/A
Bioaccumulative potential:	No relevant data found
Mobility in soil:	No relevant data available

SECTION 13 - DISPOSAL CONSIDERATIONS

Waste treatment methods:	
Disposal:	Dispose of in accordance with local regulation.
Container Disposal:	Dispose of in accordance with local regulation.

SECTION 14 - TRANSPORT INFORMATION

General Information:	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, DOT).
UN number:	Not relevant
UN proper shipping name:	Not relevant
Transport hazard class:	Not relevant
Packing group:	Not relevant

ADG - Australian Dangerous Goods: Not regulated

This product is not classified as a dangerous Good by ADG, IATA or IMDG/IMSBC criteria.
No special transport conditions are necessary unless required by other regulations.

Environmental Hazards:	
Environmentally hazardous substance:	No
Special precautions for user:	Not relevant

Rupert, Gibbon & Spider, Inc. | P.O. Box 425 | Healdsburg, CA 95448 | 800.442.0455 | Fax: 707.433.4906 | www.jacquardproducts.com

SECTION 15 - REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture:	
Hazard categories	
OSHA Hazard Communication Standard	Not regulated/Not dangerous according to the above specifications.
Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-To-Know Act of 1986) Sections 311 & 312:	This product is not a hazardous chemical under 29CFR 1910.1200, and therefore is not covered by Title III of SARA.
Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-To-Know Act of 1986) Section 313:	This product does not contain any chemicals which are listed in Section 313 at or above de minimis concentrations.
Comprehensive Environmental Response, Compensation and Liability Act of 1980 (CERCLA) Section 103:	Releases of this material to air, land or water are not reportable to the National Response Center under the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA) or to state and local emergency planning committees under the Superfund Amendments and Reauthorization Act (SARA) Title III Section 304.
Pennsylvania:	Any material listed as "Not Hazardous" in the CAS REG NO. column of SECTION 2, Composition/Information on Ingredients, of this SDS is a trade secret under the provisions of the Pennsylvania Worker and Community Right-To-Know Act.
United States TSCA Inventory (TSCA):	All components of this product are in compliance with the inventory listing requirements of the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.
California Proposition 65:	This product does NOT contain any chemicals known to the state of California to cause cancer.

Classification:

Based on the available information, not classified as hazardous according to Safe Work Australia;
NON_HAZARDOUS SUBSTANCE.

SECTION 16 - OTHER INFORMATION

HMIS Hazard ID:	
Health:	No information available
Flammability:	No information available
Reactivity:	No information available
Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; *Chronic health effect	

Disclaimer:

The information contained in this SDS is based on data from sources considered to be reliable but Rupert, Gibbon & Spider, Inc. does not guarantee the accuracy or completeness thereof. Rupert, Gibbon & Spider, Inc. urges each customer or recipient of this SDS to study it carefully to become aware of and understand the hazards associated with this product. The reader should consider consulting reference works or individuals who are experts in ventilation, toxicology or fire and understand the data in this SDS.

Revision Date: 03/03/2020

SAFETY DATA SHEET (SDS)

Rupert, Gibbon & Spider, Inc. | P.O. Box 425 | Healdsburg, CA 95448 | 800.442.0455 | Fax: 707.433.4906 | www.jacquardproducts.com

National Chemical Inventories:	
All components of this product are listed on the following chemical substance inventories: TSCA (USA)	
DSL	(Canada)
EINECS	(Europe)
ENCS	(Japan) ECL
	(Korea)
AICS	(Australia) NZIoC
	(New Zealand)
PICCS	(Philippines)
IECSC	(China)

Rupert, Gibbon & Spider, Inc. | P.O. Box 425 | Healdsburg, CA 95448 | 800.442.0455 | Fax: 707.433.4906 | www.jacquardproducts.com

Abbreviations:

ACGIH	American Conference of Governmental Industrial Hygienists
ADR	International carriage of Dangerous goods by Road
AICS	Australian Inventory of Chemical Substances
ATE	Acute Toxicity Estimate
BfR	Bundesinstitut für Risikobewertung recommendations for food contact materials
BCF	Bioconcentration Factor
BOD5	5-day Biochemical Oxygen Demand
CERCLA	Comprehensive Environmental Response, Compensation and Liability Act
CLP	Classification, Labeling and Packaging regulation
COD	Chemical Oxygen Demand DOT Department of Transportation DSL Domestic Substances List
EINECS	European Inventory of Existing Chemical Substances
ECL	Existing Chemicals List (Korea)
ENCS	Existing and New Chemical Substances Inventory (Japan)
EN 689	Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy.
ERG	Emergency Response Guide
GHS	Globally Harmonized System
HMIS	Hazardous Materials Information System IARC International Agency for Research on Cancer IATA International Air Transport Association
ICAO	International Civil Aviation Organization IDLH Immediately Dangerous to Life and Health IMDG International Maritime Dangerous Goods
LD50	Lethal Dose to 50% of test animal population
MAK	Maximale Arbeitsplatz Konzentration
NTP	National Toxicology Program
OEL	Occupational Exposure Limit
OSHA	Occupational Safety & Health Administration
PBT	Persistent, Bioaccumulative and Toxic vPvB Very Persistent and Very Bioaccumulative PEL Permissible exposure limit
PICCS	Philippine Inventory of Commercial Chemical Substances
PNEC	Predicted No Effect Concentration
REACH	Registration, Evaluation and Authorization of Chemical Substances
RID	International carriage of dangerous goods by Rail SARA Superfund Amendments and Reauthorization Act STEL Short Term Exposure Limit
SVHC	Substance of Very High Concern
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
TWA	Time Weighted Average
VOC	Volatile Organic Compound
WGK	Wassergefährdungsklasse (Water Hazard Class) WHMIS Workplace Hazardous Material Identification System